

Printing Date: 22.09.2022

Version Number: 1.0

Revision Date: 22.09.2022

Page 1/7

1 Identification

Product identifier:

Trade name: Bituthene Liquid Membrane Part A

Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

GCP Australia Pty. Ltd. 14 Colebard Street West Archerfield, Queensland 4108 Australia

Further information obtainable from: email: msds.gcp@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Carc. 1A H350 May cause cancer.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labelling: Extracts (petroleum), heavy paraffinic distillate solvent Polycyclic Aromatic Hydrocarbons

Hazard statements May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Information concerning particular hazards for human and environment:

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

AU

Printing Date: 22.09.2022

Version Number: 1.0

Trade name: *Bituthene Liquid Membrane Part A*

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:				
8052-42-4	Asphalt		20-<25%	
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Carc. 1B, H350	10-<20%	
130498-29-2	Polycyclic Aromatic Hydrocarbons	Carc. 1A, H350	0.1-<0.3%	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. (Contd. on page 3)

AU

Revision Date: 22.09.2022

Version Number: 1.0

Printing Date: 22.09.2022

Revision Date: 22.09.2022

Trade name: Bituthene Liquid Membrane Part A

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:				
Ingredients with limit values that require monitoring at the workplace: 69012-64-2 Silica, fume				
8052-42-4 Asphalt				
WES (Australia)	Long-term value: 5 mg/m ³ fumes			
WEL (Great Britain)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³			
REL (USA)	Peak limitation: 5* mg/m ³ *15-min; See Pocket Guide App. A			
TLV (USA)	Long-term value: 0.5* mg/m ³ *inh. fraction;as benzene-soluble aerosol;A4			
Ingredients with bio	logical limit values:			
8052-42-4 Asphalt				
BEI (USA) -				
Medium				
Time: end of shift at end of workweek				
Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)				
130498-29-2 Polycy	130498-29-2 Polycyclic Aromatic Hydrocarbons			
BEI (USA) Medium				
Time: end of shift at end of workweek				
Paramete	er: 1-Hydroxypyrene with hydrolysis (nonquantitative)			
	(Contd. on pa			

(Contd. of page 2)

Printing Date: 22.09.2022

Version Number: 1.0

Trade name: Bituthene Liquid Membrane Part A

(Contd. of page 3)

Revision Date: 22.09.2022

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

Physical and Chemical Properties				
Information on basic physical and chemical properties:				
GENERAL INFORMATION Appearance: Form: Colour:	Liquid. According to product specification.			
Odour: Odour threshold:	Characteristic. Not determined.			
pH-value (~):	Not determined.			
Change in conditions:- Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Undetermined. : 200 °C Not applicable.			
Flammability (solid, gas):	Not applicable.			
Ignition temperature:	Not determined.			
Decomposition temperature: Auto-ignition temperature: Explosive properties:	Not determined. Not determined. Product does not present an explosion hazard.			
EXPLOSION LIMITS Lower: Upper:	Not determined. Not determined.			
Vapour pressure: Density: Vapour density: Evaporation rate:	Not determined. Not determined. Not determined. Not determined.			
	(Contd. on page 5 AU			

Revision Date: 22.09.2022

Printing Date: 22.09.2022

Trade name: *Bituthene Liquid Membrane Part A*

		(Contd. of page 4)
Solubility in/Miscibility with:- Water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
VISCOSITY		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not determined.	
Other information:	No further relevant information available.	

10 Stability and Reactivity

Reactivity:

Stable under normal conditions. No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known. No further relevant information available.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

Primary irritant effect

Skin corrosion/irritation No irritating effect.

Serious eye damage/irritation No irritating effect.

Repeated dose toxicity:

64742-04-7 Extracts (petroleum), heavy paraffinic distillate solvent

Dermal NOAEL/28d 500 mg/kg bw/d (rabbit) (OECD guideline 410)

NOAEL/90d 30 mg/kg bw/d (rat) (OECD guideline 411)

Additional toxicological information: May cause cancer.

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY

64742-04-7 Extracts (petroleum), heavy paraffinic distillate solvent

LC/EC/IC50 (static) 18.8 mg/l (algae) (OECD guideline 201)

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

(Contd. on page 6)

Printing Date: 22.09.2022

Version Number: 1.0

Trade name: *Bituthene Liquid Membrane Part A*

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information				
UN-Number ADG, IMDG, IATA	Not Regulated			
UN proper shipping name ADG, IMDG, IATA	Not Regulated			
Transport hazard class(es)				
ADG, ADN, IMDG, IATA Class	Not Regulated			
Packing group ADG, IMDG, IATA	Not Regulated			
Environmental hazards:	Not applicable.			
Special precautions for user:	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not Regulated				
UN "Model Regulation":	Not Regulated			

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

(Contd. of page 5)

Revision Date: 22.09.2022

Printing Date: 22.09.2022

Version Number: 1.0

Trade name: Bituthene Liquid Membrane Part A

(Contd. of page 6)

Revision Date: 22.09.2022

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases: H350 May cause cancer.

Department issuing SDS:

EHS Department, Asia Pacific Region SCIP, Canlubang, Calamba City, Laguna Philippines 4028 Tel: +63 (02) 8236-6820 to 24

Contact:

The first date of preparation: 29.10.2021 Number of revision times and the latest revision date: 1.0 / 22.09.2022

AI