

Safety Data Sheet

according to WHS Regulations Version Number: 1.0

Printing Date: 23.09.2022

Revision Date: 23.09.2022

1 Identification

Product identifier:

Trade name: Chemspray 690 Isocyanate

Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Australia Pty. Ltd. 14 Colebard Street West Archerfield, Queensland 4108 Australia

Further information obtainable from:

Tel: 1800 334 444 Fax: +61 7-3275-7801

APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

MDI Polyurethane Prepolymer Diphenylmethane-4,4'-di-isocyanate Methylenediphenyl diisocyanate, mixture of isomers

Hazard statements

Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Version Number: 1.0

Trade name: Chemspray 690 Isocyanate

Suspected of causing cancer.	(Contd. of page 1)
May cause respiratory irritation.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapours/spray.	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
[In case of inadequate ventilation] wear respiratory protection.	
IF ON SKIN: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	C i
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	Continue
rinsing. IF expected on concerned: Get medical advice/ettention	
IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.	
Get medical advice/attention if you feel unwell.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	
Take off contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Information concerning particular hazards for human and environment:	
Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.	
Other hazards:	
Results of PBT and vPvB assessment:	
PBT: Not applicable.	

vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous	components:
-----------	-------------

0040 57 1		50 (1000/
9048-57-1	MDI Polyurethane Prepolymer	50-<100%
	Acute Tox. 1, H330	
	Resp. Sens. 1, H334	
	Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1A, H317; STOT SE 3, H335	
101-68-8	Diphenylmethane-4,4'-di-isocyanate	20-<25%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 1, H372 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
26447-40-5	Methylenediphenyl diisocyanate, mixture of isomers	20-<25%
	Acute Tox. 1, H330	1
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 1, H372	
	Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

(Contd. on page 3)

AU

Revision Date: 23.09.2022

Version Number: 1.0

Trade name: Chemspray 690 Isocyanate

(Contd. of page 2)

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Do not eat, drink or smoke when using this product.

Safety Data Sheet according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: Chemspray 690 Isocyanate

	(Contd. of page 3)
Store in a well-ventilated place. Keep container tightly closed.	
Keep only in original container.	
Use only outdoors or in a well-ventilated area.	
Information about fire - and explosion protection: No special measures required.	
Conditions for safe storage, including any incompatibilities:	
STORAGE	
Information about storage in one common storage facility: Keep respiratory protective device available.	
Further information about storage conditions:	
Keep container tightly sealed.	
Protect from frost.	
Store in a dry place.	
Keep cool.	

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control paramet	eters:
------------------------	--------

Ingredients with lim	it values that require monitoring at the workplace:	
101-68-8 Diphenylmethane-4,4'-di-isocyanate		
WES (Australia)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO	
WEL (Great Britain)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO	
PEL (USA)	Peak limitation: 0.2 mg/m ³ , 0.02 ppm	
REL (USA)	Long-term value: 0.05 mg/m ³ , 0.005 ppm Peak limitation: 0.2* mg/m ³ , 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.005 ppm	
26447-40-5 Methyle	nediphenyl diisocyanate, mixture of isomers	
WES (Australia)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen, as -NCO	
Ingredients with bio	logical limit values:	
101-68-8 Diphenylm	ethane-4,4'-di-isocyanate	
BMGV (Great Britain	n) 1 μmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine	
Additional informat	ion: Based on the lists valid at the date of SDS creation.	
Exposure contro	ls:	
-		

Appropriate engineering controls Local exhaust ventilation is recommended.

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: Chemspray 690 Isocyanate

Respiratory protection:

Atmospheric levels should be maintained below the occupational exposure limits. When atmospheric levels exceed those limits or are unknown, respiratory protection is required.

For hand applications, unless monitoring data confirms that respiratory protection is not necessary, use an approved half-face air purifying respirator equipped with an organic vapor sorbent filter (EU Type A, NIOSH Black, etc.) and particulate pre-filter (EU Type P2, NIOSH N95, etc.).

Isocyanates (contained in this part and when mixed) are known as respiratory sensitisers.

For emergency response, an approved positive pressure Self Contained Breathing Apparatus (SCBA) or positive pressure air line with auxiliary self-contained air supply is recommended.

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Protective goggles.

Body protection:

Protective work clothing.

Take off contaminated clothing and wash before reuse.

9 Physical and Chemical Propertie	\$
Information on basic physical an	d chemical properties:
GENERAL INFORMATION Appearance: Form: Colour: Odour: Odour: Odour threshold:	Liquid. Transparent. Slight Musty Not determined.
pH-value (~):	Not determined.
Change in conditions:- Melting point/freezing point: Initial boiling point and boiling range Flash point:	Undetermined. : >300 °C >208.5 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature: Auto-ignition temperature: Explosive properties:	Not determined. Not determined. Product does not present an explosion hazard.
EXPLOSION LIMITS Lower: Upper:	Not determined. Not determined.
Vapour pressure: Density at 20 °C: Vapour density: Evaporation rate:	Not determined. 1.1 g/cm ³ Not determined. Not determined.
Solubility in/Miscibility with:- Water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
	(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Trade name: Chemspray 690 Isocyanate

	(Contd. of page	: 5)
VISCOSITY at 25 °C	$800 \pm 300 \text{ cps}$	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not determined.	
Other information:	No further relevant information available.	

10 Stability and Reactivity

Reactivity:

Stable under normal conditions. No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

May vent and release flammable gas at high temperature. May explode when exposed to high temperature or heated.

Conditions to avoid:

Avoid contact with incompatible materials and condition. Avoid accumulation of electrostatic charges, Heating, Flames and hot surfaces. Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials: Flammable materials, Reducing agents.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide May emit flammable vapour, fume, hazardous gas if involved in fire.

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

LD/LC50 values relevant for classification:

101-68-8 Diphenylmethane-4,4'-di-isocyanate		
	LD50	>10,000 mg/kg (rat)
	LD50	>9,400 mg/kg (rabbit)
Inhalative	LC50, 4h	0.368 mg/l (rat)
	LC50, 1h	>2.24 mg/l (rat)

Primary irritant effect

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Inhalation:

Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitisation possible through skin contact.

Additional toxicological information: Suspected of causing cancer.

GHS Health Hazards :

Carcinogenicity: Category 2 - Suspected of causing cancer.

(Contd. on page 7) AU

Revision Date: 23.09.2022

Version Number: 1.0

Trade name: Chemspray 690 Isocyanate

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADG, IMDG, IATA	Not Regulated	
UN proper shipping name ADG, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA Class	Not Regulated	
Packing group ADG, IMDG, IATA	Not Regulated	
Environmental hazards:	Not applicable.	
Special precautions for user:	Not applicable.	

(Contd. of page 6)

Safety Data Sheet according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: Chemspray 690 Isocyanate

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not Regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

Department issuing SDS:

EHS Department, Asia Pacific Region SCIP, Canlubang, Calamba City, Laguna Philippines 4028 Tel: +63 (02) 8236-6820 to 24

Contact:

The first date of preparation: 26.11.2020

Number of revision times and the latest revision date: 1.0 / 23.09.2022

(Contd. of page 7)