

Safety Data Sheet according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

1 Identification

Product identifier:Trade name: *Chemspray 690 Polyol Grey***Relevant identified uses of the substance or mixture, and uses advised against:**

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:**Manufacturer/supplier:**GCP Australia Pty. Ltd.
14 Colebard Street West
Archerfield, Queensland 4108
Australia**Further information obtainable from:**Tel: 1800 334 444
Fax: +61 7-3275-7801
APMSDS@gcpat.com**Emergency telephone number:** After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Label elements:**GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS05 GHS07 GHS08

Signal word Danger**Hazard-determining components of labelling:**Polyoxypropylene diamine
Diethylmethylbenzenediamine**Hazard statements**

Harmful if swallowed.

May be harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Safety Data Sheet

according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: *Chemspray 690 Polyol Grey*

(Contd. of page 1)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER/doctor.
 Get medical advice/attention if you feel unwell.
 Wash contaminated clothing before reuse.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description: Corrosive

Information concerning particular hazards for human and environment:

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

9046-10-0	Polyoxypropylene diamine	Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302	50-<100%
68479-98-1	Diethylmethylbenzenediamine	STOT RE 2, H373 Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irritation 2A, H319	25-<30%
13463-67-7	Titanium dioxide		1-<3%

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

Causes burns.

Harmful if swallowed.

(Contd. on page 3)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: *Chemspray 690 Polyol Grey*

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Use neutralising agent.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

(Contd. on page 4)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: Chemspray 690 Polyol Grey

(Contd. of page 3)

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:
Ingredients with limit values that require monitoring at the workplace:
13463-67-7 Titanium dioxide

WES (Australia)	Long-term value: 10 mg/m ³
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
PEL (USA)	Long-term value: 15* mg/m ³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 0.2* 2.5** mg/m ³ resp. fraction, *nanoscale, **finescale, A3

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:
PERSONAL PROTECTIVE EQUIPMENT
General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves:

Rubber gloves.

Nitrile rubber.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:


Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

9 Physical and Chemical Properties

Information on basic physical and chemical properties:
GENERAL INFORMATION
Appearance:

Form: Liquid.

Colour: Coloured

(Contd. on page 5)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: Chemspray 690 Polyol Grey

(Contd. of page 4)

Odour:	Slight Musty
Odour threshold:	Not determined.
pH-value (~):	Not determined.
Change in conditions:-	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>308.3 °C
Flash point:	>169 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
EXPLOSION LIMITS	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1 g/cm ³
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in/Miscibility with:-	
Water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
VISCOSITY at 25 °C	600 ± 300 cps
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not determined.
Other information:	No further relevant information available.

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

May vent and release flammable gas at high temperature.

May explode when exposed to high temperature or heated.

Conditions to avoid:

Avoid contact with incompatible materials and condition.

Avoid accumulation of electrostatic charges, Heating, Flames and hot surfaces.

Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials: Flammable materials, Reducing agents.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

May emit flammable vapour, fume, hazardous gas if involved in fire.

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: Chemspray 690 Polyol Grey

(Contd. of page 5)

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

LD/LC50 values relevant for classification:

9046-10-0 Polyoxypropylene diamine

Oral	LD50	480 mg/kg (rat)
------	------	-----------------

68479-98-1 Diethylmethylenediamine

Oral	LD50	738 mg/kg (rat) (OECD Test Guideline 401)
Dermal	LD50	738 mg/kg (rat)
	LC50, 48h	0.5 mg/l (daphnia magna)
		1.94 mg/l (fish)

13463-67-7 Titanium dioxide

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Primary irritant effect

Serious eye damage/irritation Causes serious eye damage.

Ingestion:

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
Harmful if swallowed.

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

(Contd. on page 7)

.AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: *Chemspray 690 Polyol Grey*

(Contd. of page 6)

UNCLEANED PACKAGING**Recommendation:** Disposal must be made according to official regulations.**14 Transport information**

UN-Number
ADG, IMDG, IATA

UN2735

UN proper shipping name
ADG

POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene diamine), ENVIRONMENTALLY HAZARDOUS

IMDG

POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene diamine), MARINE POLLUTANT

IATA

POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylene diamine)

Transport hazard class(es)

ADG, IMDG



Class
Label

8 Corrosive substances.
8

IATA



Class
Label

8 Corrosive substances.
8

Packing group
ADG, IMDG, IATA

II

Environmental hazards:Product contains environmentally hazardous substances:
Diethylmethylenediamine**Marine pollutant:**

Symbol (fish and tree)

Special marking (ADG):

Symbol (fish and tree)

Special precautions for user:

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Segregation groups

Alkalis

Stowage Category

A

Segregation Code

SG35 Stow "separated from" SGG1-acids

Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code:

Not Regulated

Transport/Additional information:**ADG****Limited quantities (LQ)**

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

3

Tunnel restriction code

E

(Contd. on page 8)

AU

Safety Data Sheet according to WHS Regulations

Printing Date: 12.09.2022

Version Number: 1.0

Revision Date: 12.09.2022

Trade name: *Chemspray 690 Polyol Grey*

(Contd. of page 7)

IMDG**Limited quantities (LQ)****Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:
Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS:

EHS Department,

Asia Pacific Region

SCIP, Canlubang, Calamba City, Laguna

Philippines 4028

Tel: +63 (02) 8236-6820 to 24

Contact:
The first date of preparation: 26.11.2020

Number of revision times and the latest revision date: 1.0 / 12.09.2022

AU