



Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

1 Identification

Product identifier:

Trade name: Chemspray 117 Clear Primer

Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Australia Pty. Ltd. 14 Colebard Street West Archerfield, Queensland 4108 Australia

Further information obtainable from:

Tel: 1800 334 444 Fax: +61 7-3275-7801 APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Flam. Liq. 3 H226 Flammable liquid and vapour. Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

Modified MDI

Xylene (mixture of isomers)

Diphenylmethanediisocyanate, isomers and homologues

Hazard statements

Flammable liquid and vapour.

May be harmful in contact with skin.

Harmful if inhaled.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet according to WHS Regulations

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: *Chemspray 117 Clear Primer*

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

[In case of inadequate ventilation] wear respiratory protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description: Flammable

Information concerning particular hazards for human and environment:

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous	components:	
1220 20 7	Vylana (miytura of i	_

1330-20-7 | Xylene (mixture of isomers)

Flam. Liq. 3, H226

Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335

(Contd. on page 3)

50-<100%

■ AU

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

		(Contd. of page 2)
39420-98-9	Modified MDI	30-<50%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
	Diphenylmethanediisocyanate, isomers and homologues	1-<3%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 1, H372 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

Dizziness

May cause sensitisation by skin contact.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed:

If skin irritation occurs: Get medical advice/attention.

5 Fire Fighting Measures

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water jet.

Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

CO, CO2.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

(Contd. of page 3)

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapour. Do not cut, drill, grind or weld on or near container, whether empty or full.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground/bond container and receiving equipment.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

(Contd. of page 4)

8 Exposure control	ls and personal protection
Additional inform	mation about design of technical facilities: No further data; see item 7.
Control paramet	ers:
	it values that require monitoring at the workplace:
1330-20-7 Xylene (m	ixture of isomers)
	Short-term value: 655 mg/m³, 150 ppm Long-term value: 350 mg/m³, 80 ppm
	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm
REL (USA)	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm
TLV (USA)	Long-term value: 20 ppm BEI, A4
39420-98-9 Modified	I MDI
WES (Australia)	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
WEL (Great Britain)	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
PEL (USA)	Peak limitation: 0.2 mg/m³, 0.02 ppm
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Peak limitation: 0.2* mg/m³, 0.02* ppm *10-min
TLV (USA)	Long-term value: 0.005 ppm
9016-87-9 Diphenylı	nethanediisocyanate, isomers and homologues
WES (Australia)	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen, as -NCO
WEL (Great Britain)	Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO
Ingredients with bio	logical limit values:
1330-20-7 Xylene (m	ixture of isomers)
, ,	n) 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid
BEI (USA)	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
39420-98-9 Modified	I MDI
BMGV (Great Britain	n) 1 μmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:

Appropriate engineering controls Local exhaust ventilation is recommended.

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 6)

Printing Date: 12.09.2022 Version Number: 1.0 **Revision Date: 12.09.2022**

Trade name: Chemspray 117 Clear Primer

(Contd. of page 5)

Respiratory protection:

Atmospheric levels should be maintained below the occupational exposure limits. When atmospheric levels exceed those limits or are unknown, respiratory protection is required.

For hand applications, unless monitoring data confirms that respiratory protection is not necessary, use an approved half-face air purifying respirator equipped with an organic vapor sorbent filter (EU Type A, NIOSH Black, etc.) and particulate prefilter (EU Type P2, NIOSH N95, etc.).

Isocyanates (contained in this part and when mixed) are known as respiratory sensitisers.

For emergency response, an approved positive pressure Self Contained Breathing Apparatus (SCBA) or positive pressure air line with auxiliary self-contained air supply is recommended.

Protection of hands: Protective gloves. Material of gloves: Rubber gloves. Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Protective goggles.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

O T	• 1		• 1	The second	4.0
LU I	Physical	and (amica	Pron	APTIAG

Information on basic physical and chemical properties:		
GENERAL INFORMATION Appearance: Form: Colour: Odour: Odour threshold: pH-value (~):	Liquid. Brown. Aromatic Not determined. Not determined.	
Change in conditions:- Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Undetermined. Not determined. 30 °C	
Flammability (solid, gas):	Flammable.	
Ignition temperature:	Not determined.	
Decomposition temperature: Auto-ignition temperature: Explosive properties:	Not determined. Not determined. In use, may form flammable/explosive vapour-air mixture.	
EXPLOSION LIMITS Lower: Upper:	Not determined. Not determined.	
Vapour pressure: Density at 20 °C: Vapour density: Evaporation rate:	Not determined. 0.1 g/cm³ Not determined. Not determined.	
Solubility in/Miscibility with:- Water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
	(Contd. on	

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

	(Contd. of page 6)
< 100 cps	
Not determined.	
Not determined.	
Not determined.	
No further relevant information available.	
	Not determined. Not determined. Not determined.

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

LD/LC50	LD/LC50 values relevant for classification:			
1330-20-7	1330-20-7 Xylene (mixture of isomers)			
Oral	LD50	3,523 mg/kg (rat)		
Inhalative	LC50, 4h	$26 \text{ mg/m}^3 \text{ (rat)}$		
9016-87-9	9016-87-9 Diphenylmethanediisocyanate, isomers and homologues			
Oral	LD50	10,000 mg/kg (rat)		
Dermal	LD50	9,000 mg/kg (rat)		
Inhalative	LC50, 4h	11 mg/l (rat)		

Primary irritant effect

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Inhalation:

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Ingestion: May cause damage to organs through prolonged or repeated exposure.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitisation possible through skin contact.

Additional toxicological information: Suspected of causing cancer.

GHS Health Hazards:

Carcinogenicity: Category 2 - Suspected of causing cancer.

(Contd. on page 8)

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

Other information:

(Contd. of page 7)

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number	
ADG, IMDG, IATA	UN1139

UN proper shipping name ADG, IMDG, IATA

.DG, IMDG, IATA COATING SOLUTION

Transport hazard class(es)

ADG, IMDG, IATA



Class	3 Flammable liquids.
Labal	2

Packing group ADG, IMDG, IATA

Ш

(Contd. on page 9)

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

		(Contd. of page 8)
Environmental hazards:	Not applicable.	
Special precautions for user: Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	of Not Regulated	
Transport/Additional information:		
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
Transport category Tunnel restriction code	3 D/E	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS:

EHS Department, Asia Pacific Region SCIP, Canlubang, Calamba City, Laguna Philippines 4028

(Contd. on page 10)

Page 10/10

Safety Data Sheet according to WHS Regulations

Printing Date: 12.09.2022 Version Number: 1.0 Revision Date: 12.09.2022

Trade name: Chemspray 117 Clear Primer

Tel: +63 (02) 8236-6820 to 24

Contact:

The first date of preparation: 22.11.2019

Number of revision times and the latest revision date: 1.0 / 12.09.2022

(Contd. of page 9)