

Safety Data Sheet according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

1 Identification

Product identifier:Trade name: CHEMCOTE W RESIN GREY**Relevant identified uses of the substance or mixture, and uses advised against:**

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:**Manufacturer/supplier:**

GCP Australia Pty. Ltd.
14 Colebard Street West
Archerfield, Queensland 4108
Australia

Further information obtainable from:

Tel: 1800 334 444
Fax: +61 7-3275-7801
APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Flam. Liq. 4 H227 Combustible liquid.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements:**GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS07

Signal word Warning**Hazard-determining components of labelling:**Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700)**Hazard statements**

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
IF ON SKIN: Wash with plenty of water.

Safety Data Sheet

according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: CHEMCOTE W RESIN GREY

(Contd. of page 1)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Information concerning particular hazards for human and environment:

This product contains Quartz (respirable) <1%.

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

25068-38-6	Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	50-<100%
	Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

(Contd. on page 3)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: *CHEMCOTE W RESIN GREY*

(Contd. of page 2)

For safety reasons unsuitable extinguishing agents: Water jet.

Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection:

Empty containers may retain hazardous residue, both liquid and vapour. Do not cut, drill, grind or weld on or near container, whether empty or full.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

AU
(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: **CHEMCOTE W RESIN GREY**

(Contd. of page 3)

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

9 Physical and Chemical Properties

Information on basic physical and chemical properties:

GENERAL INFORMATION

Appearance:

Form:	Liquid.
Colour:	Beige.
Odour:	Mild solvent
Odour threshold:	Not determined.

pH-value (~): Not determined.

Change in conditions:-

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>170 °C
Flash point:	>61 °C

Flammability (solid, gas): Not applicable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

(Contd. on page 5)

AU

Safety Data Sheet according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: CHEMCOTE W RESIN GREY

(Contd. of page 4)

Explosive properties:	In use, may form flammable/explosive vapour-air mixture.
EXPLOSION LIMITS	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.4 g/cm ³
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in/Miscibility with:-	
Water:	Immiscible.
Partition coefficient: n-octanol/water:	Not determined.
VISCOSITY	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not determined.
Other information:	No further relevant information available.

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: No further relevant information available.

Incompatible materials: Strong acids, bases, oxidising agents, amines, polymerisation initiators.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by coma and death. In addition, if cured material made using this product is to be machined or sanded, a dust explosion hazard may be created. All dust generated should be removed as quickly as possible, preferably by the use of a vacuum cleaner.

11 Toxicological Information

Information on toxicological effects:
ACUTE TOXICITY
LD/LC50 values relevant for classification:
25068-38-6 Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

LC50, 96h	220 mg/l (algae)
	3.6 mg/l (bacterial)
	2.4 mg/l (fish)
LC50, 48h	2.8 mg/l (daphnia magna)

Primary irritant effect
Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

(Contd. on page 6)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: *CHEMCOTE W RESIN GREY*

(Contd. of page 5)

Respiratory or skin sensitisation Sensitisation possible through skin contact.

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:**Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number
ADG, IMDG, IATA

UN3082

UN proper shipping name
ADG, IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrin); epoxy
resin (number average molecular weight \leq 700))

IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrin); epoxy
resin (number average molecular weight \leq 700)), MARINE
POLLUTANT

(Contd. on page 7)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: **CHEMCOTE W RESIN GREY**

(Contd. of page 6)

Transport hazard class(es)

ADG, IMDG, IATA

Class
Label9 Miscellaneous dangerous substances and articles.
9**Packing group**

ADG, IMDG, IATA

III

Environmental hazards:Product contains environmentally hazardous substances: Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)**Marine pollutant:**

Symbol (fish and tree)

Special marking (ADG):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

Special precautions for user:

Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not Regulated

Transport/Additional information:**ADG****Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Remarks: $\leq 5L$, ADR Special Provision 375.**IMDG****Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Remarks: $\leq 5L$, IMDG 2.10.2.7**IATA****Remarks:** $\leq 5L$, IATA Special Provision 197.**UN "Model Regulation":**UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN); EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700)), 9, III**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture:**

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations:** All ingredients are listed on AICS.**Registered in the international inventory lists:** AICS (Australia)

(Contd. on page 8)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 23.09.2022

Version Number: 1.0

Revision Date: 23.09.2022

Trade name: *CHEMCOTE W RESIN GREY*

(Contd. of page 7)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Department issuing SDS:

EHS Department,
Asia Pacific Region
SCIP, Canlubang, Calamba City, Laguna
Philippines 4028
Tel: +63 (02) 8236-6820 to 24

Contact:**The first date of preparation:** 05.12.2019**Number of revision times and the latest revision date:** 1.0 / 23.09.2022

AU