

Safety Data Sheet according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

1 Identification

Product identifier:Trade name: ***MONOKOTE Z-146T*****Relevant identified uses of the substance or mixture, and uses advised against:** No further relevant information available.**Relevant identified uses of the substance or mixture:** Fireproofing.**Identified uses advised against:** No further relevant information available.**Details of the supplier of the safety data sheet:****Manufacturer/supplier:**Supplier:
GCP Australia Pty. Ltd.
14 Colebard Street West
Archerfield, Queensland 4108
AustraliaTel: 1800 334 444
Fax: +61 7-3275-7801**Further information obtainable from:**Tel: 1800 334 444
Fax: +61 7-3275-7801

APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Label elements:**GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS05 GHS07 GHS08

Signal word Danger**Hazard-determining components of labelling:**Portland cement
Quartz (SiO₂)**Hazard statements**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Safety Data Sheet

according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: MONOKOTE Z-146T

(Contd. of page 1)

Precautionary statements

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust.

Wash thoroughly after handling.

In case of inadequate ventilation wear respiratory protection.

Wear protective gloves/protective clothing/eye protection.

Dispose of contents container in accordance with all applicable regulations.

If swallowed, rinse mouth. Do not induce vomiting. Call a poison center or doctor/physician if you feel unwell.

If on Skin, wash with plenty of soap and water. Wash contaminated clothing before reuse.

If inhaled, get medical advice/attention if you feel unwell.

If in eyes, remove contact lenses, if present and easy to do so. Rinse cautiously with water for several minutes.

If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Additional information:

Avoid breathing dust

This product should be handled with care to avoid dust generation.

Information concerning particular hazards for human and environment:
Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

Other hazards:
Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:
Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

65997-15-1	Portland cement	50-<100%
	Skin Corr. 1A, H314; Eye Dam. 1, H318 Skin Sens. 1, H317; STOT SE 3, H335	
14808-60-7	Quartz (SiO ₂)	3-<5%
	Carc. 1A, H350; STOT RE 1, H372	
151-21-3	Sodium dodecyl sulphate	0.1-<0.3%
	Acute Tox. 3, H311 Eye Dam. 1, H318	
	Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:
General information: Get medical advice/attention if you feel unwell.

After inhalation: If breathing has stopped, give artificial respiration then oxygen if needed.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

Wet cement may cause skin irritation or burns.

Seek immediate medical advice.

(Contd. on page 3)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: MONOKOTE Z-146T

(Contd. of page 2)

After eye contact:

Rinse cautiously with water for several minutes.
Seek immediate medical advice.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.
Rinse out mouth and then drink plenty of water.

Information for doctor:

Most important symptoms and effects, both acute and delayed: May cause sensitisation by skin contact.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents:

Special hazards arising from the substance or mixture: No further relevant information available.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.
Avoid formation of dust.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Sweep up spilled product into receptacles.
Avoid formation of dust.
Protective work clothing.
Vacuuming or wet sweeping may be used to avoid dust dispersal.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING**Precautions for safe handling:**

Risk of serious damage to eyes.

Do not breathe dust.

Fit dust covers to mixers.

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating.

Fit dust covers to mixers.

Danger of wet slippery surfaces.

Danger of wet slippery surfaces.

Information about fire - and explosion protection:**Conditions for safe storage, including any incompatibilities:****STORAGE**

Information about storage in one common storage facility: No special measures required.

(Contd. on page 4)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: MONOKOTE Z-146T

(Contd. of page 3)

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:

Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Portland cement

WES (Australia)	Long-term value: 10 mg/m ³
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4

14808-60-7 Quartz (SiO₂)

WES (Australia)	Long-term value: 0.05 mg/m ³ respirable dust
WEL (Great Britain)	Long-term value: 0.1 mg/m ³
PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m ³ /%SiO ₂ +2
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust
TLV (USA)	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing.

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Store protective clothing separately.

The usual precautionary measures for handling chemicals should be followed.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands:



Alkaline resistant gloves

Material of gloves:

Gloves should be impermeable and resistant to the product. Selection of material should be considered before use.

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: MONOKOTE Z-146T

(Contd. of page 4)

Nitrile rubber.

Eye protection:

Safety glasses with side shield protection.

Tightly sealed goggles.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapour mist concentrations, tightly sealed goggles should be worn.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

9 Physical and Chemical Properties

Information on basic physical and chemical properties:
GENERAL INFORMATION**Appearance:**

Form:	Powder.
Colour:	According to product specification.
Odour:	Characteristic.
Odour threshold:	Not determined.

pH-value (~): Not applicable.

Change in conditions:-

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Not determined.
Flash point:	Not applicable.

Flammability (solid, gas): Not determined.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

Explosive properties: Product does not present an explosion hazard.

EXPLOSION LIMITS

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure: Not applicable.

Density at 20 °C: 21 g/cm³ (175.245 lbs/gal)

Relative density: Not determined.

Vapour density: Not determined.

Solubility in/Miscibility with:-

Water: Insoluble.

Partition coefficient: n-octanol/water: Not determined.

VISCOSITY

Dynamic: Not applicable.

Kinematic: Not applicable.

Molecular weight: Not determined.

Other information: No further relevant information available.

 AU
 (Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: **MONOKOTE Z-146T**

(Contd. of page 5)

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cutting or welding may generate Sulfur dioxide.

11 Toxicological Information

Information on toxicological effects:
ACUTE TOXICITY
LD/LC50 values relevant for classification:
151-21-3 Sodium dodecyl sulphate

Oral LD50 1,288 mg/kg (rat) (oecd 401)

Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect
Serious eye damage/irritation Causes serious eye damage.

Inhalation: May cause respiratory irritation.

Ingestion: May cause burns to mouth, throat, and stomach.

Respiratory or skin sensitisation Sensitisation possible through skin contact.

Additional toxicological information:

Cement cementitious grouts and mortars are known to cause both irritant and allergic contact dermatitis. Prolonged skin contact can result in chemical burns.

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:
AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS
Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION
General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: *MONOKOTE Z-146T*

(Contd. of page 6)

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

ADG, ADN, IMDG, IATA

Not Regulated

UN proper shipping name

ADG, ADN, IMDG, IATA

Not Regulated

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class

Not Regulated

Packing group

ADG, IMDG, IATA

Not Regulated

Environmental hazards:

Not applicable.

Special precautions for user:

Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code:

Not Regulated

UN "Model Regulation":

Not Regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

AU
(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

Printing Date: 14.09.2022

Version Number: 1.0

Revision Date: 14.09.2022

Trade name: MONOKOTE Z-146T

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H350 May cause cancer.
H372 Causes damage to organs through prolonged or repeated exposure.

Department issuing SDS:

EHS Department,
Asia Pacific Region
SCIP, Canlubang, Calamba City, Laguna
Philippines 4028
Tel: +63 (02) 8236-6820 to 24

Other Information:

In June 2003, SCOEL, the EU Scientific Committee on Occupational Exposure Limits concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis.

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

Contact:

The first date of preparation: 22.11.2016

Number of revision times and the latest revision date: 1.0 / 14.09.2022

Sources: Raw material suppliers' safety data sheets were used as key data sources in the preparation of this safety data sheet.

AU