



Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

1 Identification

Product identifier:

Trade name: OPTEVATM CBA 6800

Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Cement Additive Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Australia Pty. Ltd. 14 Colebard Street West Archerfield, Queensland 4108 Australia

Further information obtainable from:

Tel. +61 7-3275-7500 Fax +61 7-3275-7501 APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008 (AU) or +61 7-3275-7500

2 Hazard(s) Identification

Classification of the substance or mixture:

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

Triisopropanolamine

Hazard statements

Causes skin irritation.

Causes serious eye damage.

Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Information concerning particular hazards for human and environment:

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

(Contd. on page 2)

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

(Contd. of page 1)

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:				
122-20-3	Triisopropanolamine	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	10-<20%	
102-71-6	Triethanolamine	Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335	5-<10%	
126-71-6	Triisobutyl phosphate	Skin Sens. 1B, H317	0.1-<1%	
108-18-9	diisopropylamine	Flam. Liq. 2, H225 Acute Tox. 3, H311 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H332	0.1-<0.3%	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required. **After skin contact:** Immediately rinse with water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing: Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Special hazards arising from the substance or mixture: No further relevant information available.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

(Contd. of page 2)

Methods and material for containment and cleaning up:

Use neutralising agent.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

Precautionary Measures: May degrade Polyvinylchloride (PVC) and other plastic materials.

HANDLING

Precautions for safe handling:

Store in a well-ventilated place. Keep container tightly closed.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:

e one or per amover or			
Ingredients with lim	Ingredients with limit values that require monitoring at the workplace:		
102-71-6 Triethanol	amine		
WES (Australia)	Long-term value: 5 mg/m³ Sen		
TLV (USA)	Long-term value: 5 mg/m ³		
108-18-9 diisopropy	108-18-9 diisopropylamine		
WES (Australia)	Long-term value: 21 mg/m³, 5 ppm Sk		
WEL (Great Britain)	Long-term value: 21 mg/m³, 5 ppm		
PEL (USA)	Long-term value: 20 mg/m³, 5 ppm Skin		
REL (USA)	Long-term value: 20 mg/m³, 5 ppm Skin		
TLV (USA)	Long-term value: 5 ppm Skin		

Additional information: Based on the lists valid at the date of SDS creation.

(Contd. on page 4)

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

(Contd. of page 3)

Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Butyl rubber, BR.

Nitrile rubber. **Eye protection:**



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

•			α	TD 4.
LU.	Physica	and	(hamical	Properties
		аши		

> This same with the same of t		
Information on basic physical and chemical properties:		
GENERAL INFORMATION Appearance: Form: Colour: Odour: Odour threshold:	Liquid. Dark brown. Characteristic. Not determined.	
pH-value (~):	Not determined.	
Change in conditions:- Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Undetermined. Not determined. Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Not determined.	
Decomposition temperature: Auto-ignition temperature: Explosive properties:	Not determined. Not determined. Product does not present an explosion hazard.	
EXPLOSION LIMITS Lower: Upper:	Not determined. Not determined.	
Vapour pressure: Density at 20 °C: Vapour density:	Not determined. 1.1 g/cm³ Not determined.	

(Contd. on page 5)

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

	(Con	ntd. of page 4)
Evaporation rate:	Not determined.	
Solubility in/Miscibility with:- Water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
VISCOSITY		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not determined.	
Other information:	No further relevant information available.	

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: No further relevant information available.

Incompatible materials: May degrade Polyvinyl chloride (PVC) and other plastic materials.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

_			
	LD/LC50 values relevant for classification:		
	102-71-6	Friethanola	mine
	Oral	LD50	5,300 mg/kg (guinea pig)
İ			6,400 mg/kg (rat - male)
İ	Dermal	LD50	>10,000 mg/kg (rabbit)
İ		LC50, 96h	11,800 mg/l (fish)
	108-18-9 diisopropylamine		
	Dermal	LD50	770 mg/kg (rat)
	Inhalative	LC50, 4h	5.35 mg/l (rat)

Primary irritant effect

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Additional toxicological information:	
102-71-6 Triethanolamine	
NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)	

Other information:

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

(Contd. of page 5)

12 Ecological Information

Toxicity:

	AOU	ATIC T	ΓΟΧΙ	CITY
--	-----	--------	------	------

102-71-6 Triethanolamine

EC50, 72h 512 mg/l (algae)

EC50, 48h | 609.88 mg/l (daphnia magna)

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

	port in	

UN-Number ADG, IMDG, IATA	Not Regulated	
UN proper shipping name ADG, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA Class	Not Regulated	
Packing group ADG, IMDG, IATA	Not Regulated	
Environmental hazards:	Not applicable.	
Special precautions for user:	Not applicable.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code:	Not Regulated	

Printing Date: 27.09.2022 Version Number: 1.0 Revision Date: 27.09.2022

Trade name: OPTEVATM CBA 6800

(Contd. of page 6)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Department issuing SDS:

EHS Department, Asia Pacific Region SCIP, Canlubang, Calamba City, Laguna

Philippines 4028

Tel: +63 (02) 8236-6820 to 24

Contact:

The first date of preparation: 14.04.2021

Number of revision times and the latest revision date: 1.0 / 27.09.2022

ΑU