



Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27 06 2023

1 Identification

Product identifier:

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing. Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Australia Pty. Ltd. 14 Colebard Street West Archerfield, Queensland 4108 Australia

Further information obtainable from:

Tel: 1800 334 444 Fax: +61 7-3275-7801 APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer Benzyl alcohol

M-phenylenebis (methylamine)

salicylic acid

Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Precautionary statements

Do not breathe dusts or mists.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

(Contd. on page 2)

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description: Corrosive

Information concerning particular hazards for human and environment:

Description of Classification: Classified as hazardous according to the criteria of Safe Work Australia.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition and Information on Ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous c	omponents:	
100-51-6	Benzyl alcohol	30-<50%
	Acute Tox. 4, H302; Acute Tox. 4, H332	
68609-08-5	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer	30-<50%
	Skin Corr. 1B, H314; Eye Dam. 1, H318 Skin Sens. 1, H317	
113930-69-1	M-phenylenebis (methylamine)	
	Acute Tox. 3, H301 Skin Sens. 1, H317	
69-72-7	salicylic acid	1-<3%
	Repr. 2, H361 Eye Dam. 1, H318 Acute Tox. 4, H302	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

(Contd. on page 3)

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 2)

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

Causes burns.

May cause sensitisation by skin contact.

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire Fighting Measures

Extinguishing media:

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Use neutralising agent.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

(Contd. on page 4)

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 3)

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:

Ingredients with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves:

Rubber gloves.

Nitrile rubber.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eve protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 4)

9 Physical and Chemical Properties							
Information on basic physical and chemical properties:							
GENERAL INFORMATION Appearance:							
Form: Colour: Odour:	Liquid. Colourless. Characteristic.						
Odour threshold:	Not determined.						
pH-value (~):	Not determined.						
Change in conditions:- Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Undetermined. Not determined. Not applicable.						
Flammability (solid, gas):	Not applicable.						
Ignition temperature:	Not determined.						
Decomposition temperature: Auto-ignition temperature: Explosive properties:	Not determined. Not determined. Product does not present an explosion hazard.						
EXPLOSION LIMITS Lower: Upper:	Not determined. Not determined.						
Vapour pressure: Density: Vapour density: Evaporation rate:	Not determined. Not determined. Not determined. Not determined.						
Solubility in/Miscibility with:- Water:	Not determined.						
Partition coefficient: n-octanol/water:	Not determined.						
VISCOSITY Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not determined.						
Other information:	No further relevant information available.						

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 5)

11 Toxicological Information

Information on toxicological effects:

ACUTE TOXICITY

LD/LC50 values relevant for classification	LD/LC50	values	relevant	for	classification
--	---------	--------	----------	-----	----------------

100-51-6 Benzyl alcohol

Oral LD50 1,040 mg/kg (mouse)
Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Ingestion: Harmful if swallowed.

Respiratory or skin sensitisation Sensitisation possible through skin contact.

Other information:

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number ADR, IMDG, IATA

UN2735

(Contd. on page 7)

Printing Date: 27.06.2023 Version Number: 1.0 Revision Date: 27.06.2023

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 6)

UN proper shipping name
ADR, IMDG
POLYAMINES, LIQUID, CORROSIVE, N.O.S.
AMINES, LIQUID, CORROSIVE, N.O.S.

Transport hazard class(es)

ADR, IMDG, IATA



Class 8 Corrosive substances.

Label 8

Packing group ADR, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user: Warning: Corrosive substances.

Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B

Stowage Category A

Segregation Code SG35 Stow "separated from" SGG1-acids

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not Regulated

Transport/Additional information:

ADR

Limited quantities (LQ) 5L

Excepted quantities (EQ)

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code E

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All ingredients are listed on AICS.

Registered in the international inventory lists: AICS (Australia)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Printing Date: 27.06.2023 Version Number: 1.0 **Revision Date: 27.06.2023**

Trade name: CHEMFLOOR NOVOLAC HS V2 HARDENER

(Contd. of page 7)

Relevant phrases: H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

Department issuing SDS:

EHS Department, Asia Pacific Region SCIP, Canlubang, Calamba City, Laguna Philippines 4028

Tel: +63 (02) 8236-6820 to 24

Contact:

The first date of preparation: 26.06.2023

Number of revision times and the latest revision date: 1.0 / 27.06.2023