

SAFETY DATA SHEET

SDS: 0062652
Date Prepared: 23-May-2023

Version: 3
Page 1 of 12

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: SUPASCREED LA RESIN
Product Description: EPOXY RESIN
Intended/Recommended Use: Recommended for Industrial and/or Professional use only
Uses advised against: Not available

Allnex New Zealand Ltd.
14 Industry Road, Penrose, Auckland 1061, New Zealand

For Product and all Non-Emergency Information call +64 (09) 583 6500 (business hours only) or contact us at <http://www.allnex.com/contact>

EMERGENCY TELEPHONE NUMBER (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

+64 0800 803 002 (Allnex New Zealand)
See Section 16 for Emergency phone numbers for other regions.

2. HAZARDS IDENTIFICATION

Regulatory information

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020

EPA New Zealand HSNO approval code or group standard: HSR002503

Group Standard: Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

GHS Classification

Skin Irritation Category 2
Serious Eye Damage / Eye Irritation Category 1
Skin Sensitizer Category 1A
Hazardous to the Aquatic Environment Chronic Category 2

LABEL ELEMENTS



Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes serious eye damage

May cause an allergic skin reaction
Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear protective eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Response

IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Collect spillage.

Disposal

Dispose of contents/container in accordance with local and national regulations.

OTHER HAZARDS

Not applicable

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or Mixture?:

Mixture

Component / CAS No.	%
Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight <=700; EU-CAS 1675-54-3) 25068-38-6	60-70
Phenol, polymer with formaldehyde, glycidyl ether 28064-14-4	15-20
Alkyl (C12-C14) glycidyl ether 68609-97-2	8-12
1,4 Butanediol diglycidyl ether 2425-79-8	3-6
2-octyl-2H-isothiazol-3-one 26530-20-1	<0.1

4. FIRST-AID MEASURES

Emergency telephone number

Poisons Information Centre, New Zealand: 0800 764 766

First-aid Measures

Inhalation:

Remove to fresh air. Get medical attention immediately if symptoms occur.

Skin Contact:

Wash immediately with plenty of water and soap. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Get medical attention if irritation develops and persists. Wash off immediately with soap and plenty of water for at least 15 minutes.

Eye Contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Ingestion:

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.

Most Important Symptoms and Effects, Acute and Delayed

Itching. Rashes. Hives. Burning sensation.

Immediate Medical Attention and Special Treatment**Notes To Physician:**

May cause sensitisation in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media:

full water jet.

Protective Equipment:

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Special Hazards:

Some may burn but none ignite readily. Some may be transported hot. In case of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapours. Product is or contains a sensitiser. May cause sensitization by skin contact.

HAZCHEM Code: •3Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Methods For Containment:

Prevent further leakage or spillage if safe to do so.

Methods For Cleaning Up:

Take up mechanically, placing in appropriate containers for disposal.

Environmental Precautions:

Avoid release to the environment.

References to other sections:

See Sections 7, 8 and 13 for additional information.

7. HANDLING AND STORAGE

Handling

Precautions: Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear protective eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Special Handling Statements: Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

Storage

Keep container tightly closed and dry in a cool, well-ventilated place. Store locked up. Keep out of reach of children.

Storage Temperature: Ambient temperature

Reason: Quality.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

CONTROL PARAMETERS - Limits

No values have been established.

Biological Exposure Limit(s)

No values have been established.

Engineering Measures:

Ensure adequate ventilation, especially in confined areas.

Respiratory Protection:

Where exposures exceed the established exposure limit, use respiratory protection recommended for the material and level of exposure. Where exposures are below the established exposure limit, no respiratory protection is required. Where respiratory protection is required, use a respirator selected and in accordance with AS/NZS 1715 and AS/NZS 1716.

Eye protection:

Tight sealing safety goggles. Face protection shield.

Skin Protection:

Wear suitable protective clothing. Apron. Gloves made of plastic or rubber.

Hand protection:

Wear protective gloves. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility etc) is noticed.

Additional Advice:

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid clear viscous
Colour:	clear
Odor:	slight
Odor Threshold:	See Section 8 for exposure limits.
Melting Point:	Not available
Boiling Point:	Not available
Flammability:	Not available
Flammable Limits (% By Vol):	Not available
Flash point:	~ 95 °C closed cup
Autoignition temperature:	Not available
Decomposition Temperature:	> 200 °C
pH:	Not available
Viscosity (Kinematic):	
Viscosity (Dynamic):	~ 700 - 900 mPa.s
Solubility In Water:	Insoluble
Solubility In Solvent:	Not available
Partition coefficient (n-octanol/water):	Not available
Vapor Pressure:	Not available
Specific Gravity/Density:	1.1 - 1.15 g/cm ³
Vapour density:	> 1
Particle characteristics:	Not applicable

9.2 OTHER INFORMATION

9.2.1 Information with regard to physical hazard classes

Not applicable

9.2.2 Other safety characteristics

Not applicable

10. STABILITY AND REACTIVITY

Reactivity:	No information available
Stability:	Stable
Conditions To Avoid:	Protect from heat and direct sunlight.
Polymerization:	Will not occur
Conditions To Avoid:	None known.
Materials To Avoid:	Strong oxidizing agents. Strong acids Strong bases
Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin, Eyes, Oral.

HEALTH HAZARD INFORMATION

Acute toxicity - oral: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Acute toxicity - dermal: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Acute toxicity - inhalation: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin corrosion / irritation: Causes skin irritation

Serious eye damage / eye irritation: Causes serious eye damage

Respiratory sensitization: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction

Carcinogenicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Germ cell mutagenicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Reproductive toxicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Specific target organ toxicity (single exposure): Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

Aspiration hazard: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

PRODUCT TOXICITY INFORMATION

ACUTE TOXICITY DATA

oral	rat	Acute LD50	> 2000 mg/kg
dermal	rabbit	Acute LD50	> 2000 mg/kg
inhalation	rat	Acute LC50 4 hr	> 5 mg/l (Dust/Mist)

LOCAL EFFECTS ON SKIN AND EYE

Acute Irritation	Skin	Irritating
Acute Irritation	eye	Risk of serious damage to eyes.

ALLERGIC SENSITIZATION

Sensitization	Skin	Severe Sensitizing
Sensitization	respiratory	No data

GENOTOXICITY

Assays for Gene Mutations

Ames Salmonella Assay	No data
-----------------------	---------

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.

OTHER INFORMATION

The product toxicity information above has been estimated.

HAZARDOUS INGREDIENT TOXICITY DATA

Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) has oral (rat) LD50 and dermal (rabbit) LD50 values of $>5,000$ mg/kg and $>6,000$ mg/kg, respectively. This material produced moderate eye and skin irritation in animal tests. It is a moderate skin sensitizer. No adverse effects were observed on embryonic or fetal development in animal teratology studies. A variety of mutagenicity tests produced mixed results. Two-year chronic studies (dermal and skin painting) in mice showed no increase in tumor incidence in two mouse strains. However, a third mouse strain showed a slight increase in tumors at a high dose. IARC concluded that this material is not classified as a carcinogen. Chronic ingestion caused reduced weight gain and death in laboratory animals. The oral (rat) LD50 and dermal (rabbit) LD50 values have also been reported to be 11.4 gm/kg and >20 ml/kg, respectively. The literature reports three cases of asthmatic symptoms developing in workers due to occupational exposure.

Alkyl (C12-C14) glycidyl ether has acute oral (rat) LD50 value of 17,100 mg/kg. Direct contact with this material may cause skin sensitization or moderate skin irritation.

1,4-Butanediol diglycidyl ether has reported acute oral (rat) and dermal (rabbit) LD50 values of 1163 mg/kg and 1100 mg/kg, respectively. Direct contact caused moderate to severe eye and moderate skin irritation in rabbits. Prolonged or repeated dermal contact may cause sensitization. This material tested positive in an in vivo screening test for mutagenicity. Literature reports that repeated dermal exposure has caused systemic toxicity and death in laboratory animals.

2-octyl-2H-isothiazol-3-one has acute oral (rat) and dermal (rat) LD50 values of 125 mg/kg and 311 mg/kg, respectively. The 4-hour inhalation LC50 (rat) for 2-octyl-2H-isothiazol-3-one is 0.27 mg/L. The substance is corrosive to skin and causes irreversible eye damage. Strong allergic reactions have been seen in both animals and humans. Genotoxicity is not expected. Other endpoints have not been investigated.

12. ECOLOGICAL INFORMATION

Aquatic Chronic Toxicity: Toxic to aquatic life with long lasting effects

The ecological assessment for this material is based on an evaluation of its components.

ECOTOXICITY

Not available

BIOACCUMULATIVE POTENTIAL

Not available

PERSISTENCE AND DEGRADABILITY

Not available

MOBILITY IN SOIL

Not available

OTHER ADVERSE EFFECTS**HAZARD TO THE OZONE LAYER**

Not available

HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight <=700; EU-CAS 1675-54-3) (25068-38-6)	LC50 3.6 mg/l - Rainbow Trout (Oncorhynchus mykiss) (96h)
Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)	Not available
Alkyl (C12-C14) glycidyl ether (68609-97-2)	Not available
1,4 Butanediol diglycidyl ether (2425-79-8)	LC50 = 19.8 mg/L - Danio rerio - 96hrs
2-octyl-2H-isothiazol-3-one (26530-20-1)	LC50 = 0.036 - 0.047 mg/L - Oncorhynchus mykiss - 96hrs LC50 = 0.16 - 0.18 mg/L - Lepomis macrochirus - 96hrs NOEC = 0.0085 mg/L - Pimephales promelas - 35d

Component / CAS No.	Toxicity to Water Flea
Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight <=700; EU-CAS 1675-54-3) (25068-38-6)	EC50 2.8 mg/l - Daphnia sp. (Other) (48h)
Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)	Not available
Alkyl (C12-C14) glycidyl ether (68609-97-2)	Not available
1,4 Butanediol diglycidyl ether (2425-79-8)	EC50 = 75 mg/L - Daphnia magna - 24hrs
2-octyl-2H-isothiazol-3-one (26530-20-1)	EC50 = 0.32 - 0.42 mg/L - Daphnia magna - 48hrs NOEC = 0.003 - 0.074 mg/L - Daphnia magna - 21d

Component / CAS No.	Toxicity to Algae
Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight <=700; EU-CAS 1675-54-3) (25068-38-6)	EC50 <10 mg/l - Green Algae (Chlorella pyrenoidosa)
Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)	Not available
Alkyl (C12-C14) glycidyl ether (68609-97-2)	Not available
1,4 Butanediol diglycidyl ether	EL50 = 160 mg/L - Pseudokirchnerella subcapitata -

(2425-79-8)	72hrs NOEL = 40 mg/L - Pseudokirchnerella subcapitata - 72hrs
2-octyl-2H-isothiazol-3-one (26530-20-1)	EC50 = 0.00129 mg/L - Navicula pelliculosa - 48hrs EC10 = 0.000224 mg/L - Navicula pelliculosa - 48hrs

Component / CAS No.	Partition coefficient
Reaction product: Bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight <=700; EU-CAS 1675-54-3) (25068-38-6)	Not available
Phenol, polymer with formaldehyde, glycidyl ether (28064-14-4)	Not available
Alkyl (C12-C14) glycidyl ether (68609-97-2)	3.77
1,4 Butanediol diglycidyl ether (2425-79-8)	-0.269
2-octyl-2H-isothiazol-3-one (26530-20-1)	Not available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

The company encourages the recycle and reuse of products and packaging, where possible and permitted.

Product disposal

When recycle or reuse is not possible, the company recommends that our products, especially when classified as hazardous, be disposed of by thermal treatment or incineration at approved facilities. All local and national regulations should be followed.

Packaging disposal

Handle contaminated packages in the same way as the product itself. Disposal of emptied and cleaned packaging must be made in accordance with applicable local and national regulations.

Disposal-relevant information

Do not release directly or indirectly to surface water, ground water, soil or public sewage system.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

Road transport

Dangerous Goods? X

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class: 9

UN Number: UN3082

Packing Group: III

Transport Label Required: Miscellaneous

TECHNICAL NAME (N.O.S.): EPOXY RESIN(S)

HAZCHEM Code: •3Z

IERG: 47

IMO

Dangerous Goods? X
UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport Hazard Class: 9
UN Number: UN3082
Packing Group: III
Transport Label Required: Miscellaneous
Marine Pollutant
TECHNICAL NAME (N.O.S.): EPOXY RESIN(S)

ICAO / IATA

Dangerous Goods? X
UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport Hazard Class: 9
Packing Group: III
UN Number: UN3082
Transport Label Required: Miscellaneous
TECHNICAL NAME (N.O.S.): EPOXY RESIN(S)

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Ozone Depleting Substances (Regulation (EC) No 1005/2009): Not applicable

Persistent Organic Pollutants (Regulation (EC) No 850/2004): Not applicable

EPA New Zealand HSNO approval code or group standard: HSR002503

Group Standard: Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

Health and Safety at Work Hazardous Substances Regulations 2017

Tracking:

This product does not require tracking

Certified Handler:

This product does not require a certified handler.

Controlled Substance: This product does not require a Controlled Substance Licence

Inventory Information

New Zealand: This product is approved or exempt under the Hazardous Substances and New Organisms (HSNO) Act.

Australia: All components of this product are included in the Australian Inventory of Industrial Chemicals (AIIC) or are not required to be listed on AIIC.

United States (USA): One or more components of this product are designated as "Inactive" on the TSCA Inventory.

Canada: One or more components of this product are NOT included on the Canadian Domestic Substances List (DSL).

China: All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese inventory.

Japan: One or more components of this product are NOT included on the Japanese (ENCS and/or ISHL) inventories.

Korea: All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory. When purchased from Allnex Korea or Chemart distributor this product is compliant with the ARECs (the Act on the Registration and Evaluation, etc. of Chemical Substances). All its components are either excluded, exempt, pre-notified and/or registered. When purchased from another allnex entity, please contact PSRA-KREACH@allnex.com to check the possibility to be covered by our Only Representative.

Philippines: One or more components of this product are NOT included on the Philippine (PICCS) inventory.

Taiwan: All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

16. OTHER INFORMATION

Reasons for Issue: Revised Section 2
Revised Section 9
Revised Section 11
Revised Section 12

Date Prepared: 23-May-2023
Date of last significant revision: 23-May-2023

Emergency phone numbers for other regions

Asia Pacific

Australia: +61 1800 022 037 (Allnex Australia)
China (PRC): +86(0)532 8388 9090 (NRCC)
India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)
Indonesia: 007 803 011 0293 (Carechem 24)
Japan: 0120 015 230 (toll free) (Carechem24)
Korea: +82 2 3479 8401 (Carechem 24)
Malaysia: +60 3 6207 4347 (Carechem 24)
Philippines: +63 2 231 2149 (Carechem 24)
Taiwan: +886 2 8793 3212 (Carechem 24)
Vietnam: +84 8 4458 2388 (Carechem 24)
All Others: +65 3158 1074 (Carechem 24)

Europe

+44 (0) 1235 239 670 (Carechem 24)

Middle East, Africa

+44 (0) 1235 239 671 (Carechem 24)

Latin America

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)
Chile: +56 2 2582 9336 (Carechem 24)
Mexico and all others: +52-555-004-8763 (Carechem 24)

Canada and USA

+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC)

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

C **Carcinogen**

Prepared By: Product Sustainability & Regulatory Affairs Department, <http://www.allnex.com/contact>
New Zealand Contact Point: +64 (09) 583 6500

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.
