



**gcp**

SAINT-GOBAIN

7

6

5

4

3

2

**BITUTHENE®**

**Waterproofing System**



# Basement waterproofing

## PROVEN HIGH-PERFORMANCE LIQUID WATERPROOFING SYSTEMS

**Effective waterproofing is crucial for any structure, whether built at or below ground level, as addressing leaks afterward can be both challenging and expensive.**


Failures in basement or below-ground waterproofing present even greater complications due to the difficulty of accessing these areas for repairs. A range of costly and complex issues can stem from factors such as soil conditions, groundwater levels, environmental changes, inadequately cured concrete, poorly designed foundations, substandard workmanship, and more.

An effective waterproofing solution requires both a durable, fully bonded membrane system and robust protection for joints and connections, as these are common points for leakage.

To prevent water migration—where water seeps between the waterproofing layer and the structure—the waterproofing must form a strong bond with the structural components. Depending on project requirements and site conditions, waterproofing can be pre-applied, post-applied or integral. It is essential to choose the right waterproofing system during the initial stages of the project.

GCP have a range of solutions that deliver effective waterproofing for infrastructure and building projects. BITUTHENE® forms a complete fully bonded waterproofing system when applied with PREPRUFE® pre-applied membranes.

**Post-applied  
membrane**  
BITUTHENE®



**Pre-applied  
membrane**  
PREPRUFE®

# BITUTHENE®

## POST-APPLIED WATERPROOFING MEMBRANE

**The BITUTHENE® waterproofing system is a trusted post-applied waterproofing membrane, designed to provide exceptional protection against water intrusion.**

Since its introduction more than 50+ years ago by GCP, the BITUTHENE® waterproofing membrane has been trusted in thousands of buildings and infrastructure projects around the world.

Its easy application process ensures convenience for contractors while significantly enhancing the durability and long-term value of important and complex structures.

BITUTHENE® membranes are formulated to be applied and perform under a variety of temperature conditions. Special grades for application to damp surfaces or green concrete, with special primers, are also available.

The BITUTHENE® membrane is supported by highly skilled and locally based field and technical service.

**50** years of  
tested  
performance  
for BITUTHENE®



# Benefits of BITUTHENE®

## EFFECTIVE BELOW GROUND WATERPROOFING

The BITUTHENE® waterproofing system is a time-tested, field-proven product, that has been used in critical structures around the world.

BENEFITS	
SELF-ADHESIVE	Self-adhesive overlaps eliminate the need for specialised equipment or training
EDGE BEAD	Edge bead allows adhesive to adhesive sealing, with the double strength of the adhesion to seal, attributed to the flexibility of the compound
COLD APPLIED	No flame hazard with no heating equipment required
PROTECTION	incorporates a robust film and specially formulated adhesive provide effective water protection
CROSS LAMINATED FILM	Provides dimensional stability, high tear strength, puncture and impact resistance
FLEXIBILITY	it can be cold-applied at temperatures as low as -5 °C, and can be placed on a variety of concrete surfaces
CHEMICAL RESISTANCE	Provides effective external protection against aggressive soils and ground water
SYSTEM COMPATIBILITY	Can be combined with PREPRUFE® pre-applied membranes, BITUTHENE® Liquid Membrane, and HYDRODUCT® drainage composites for system solutions



# BITUTHENE® products

## AVAILABLE IN A NUMBER OF GRADES TO SUIT PROJECT NEEDS

Designed to keep water out, BITUTHENE® waterproofing membranes have proven their versatility in a variety of applications. The comprehensive family of BITUTHENE® membranes includes:

PRODUCTS	DESCRIPTION	APPLICATION
<b>BITUTHENE® 3000</b>	High performance, cold-applied and self-adhesive membrane with 100 micron cross-laminated HDPE film and rubber bitumen compound	Waterproofing membrane for basements, sub-structures and flat deck applications
<b>BITUTHENE® 5000</b>	Heavy duty waterproofing membrane incorporating high strength, heat-resistant mesh embedded in a layer of self-adhesive rubber bitumen	Waterproofing membrane for plazas, bridges, vehicular traffic structures, or parking decks overlaid with an asphalt concrete wearing course
<b>BITUTHENE® 6000</b>	Heavy duty, cold-applied and self-adhesive membrane with 200 micron cross-laminated HDPE film and rubber bitumen compound	Tough, high performance waterproof membrane for critical sub-structures and civil engineering works
<b>BITUTHENE® 6000 EIM</b>	Heavy duty, preformed composite membrane combining a self-adhesive rubberised bitumen compound and a tough, puncture-resistant four-ply polyethylene laminate	Tough, cross-laminated polyethylene film for electrical insulation in critical sub-structures and civil works
<b>BITUTHENE® 8000</b>	Combines the proven Bituthene adhesive technology with an unique, grey-coloured carrier film to withstand more than 70m head of water and is over 90 times more methane resistant than the BRE minimum recommendation	Advanced, self-adhesive, water, moisture and gas proofing membrane for sub-structures



# BITUTHENE® applications

## EFFECTIVE BELOW GROUND WATERPROOFING

**BITUTHENE® post-applied waterproofing membranes have been used in a variety of applications all around the world, serving as an effective waterproofing barrier.**

APPLICATION	PRODUCTS
<b>BASEMENT RETAINING WALLS</b>	BITUTHENE® 3000, BITUTHENE® 6000, BITUTHENE® 6000 EIM, BITUTHENE® 8000
<b>SUB-STRUCTURE/ FOUNDATION</b>	BITUTHENE® 3000, BITUTHENE® 6000, BITUTHENE® 6000 EIM, BITUTHENE® 8000
<b>PODIUM/PLAZA DECK</b>	BITUTHENE® 3000, BITUTHENE® 5000, BITUTHENE® 6000, BITUTHENE® 6000 EIM, BITUTHENE® 8000
<b>BALCONY/TERRACE</b>	BITUTHENE® 3000, BITUTHENE® 6000, BITUTHENE® 6000 EIM, BITUTHENE® 8000,
<b>UNDERGROUND METRO STATION BOX</b>	BITUTHENE® 3000, BITUTHENE® 8000,
<b>RAIL/METRO STATION PLATFORM</b>	BITUTHENE® 6000 EIM
<b>NON HIGHWAY BRIDGES</b>	BITUTHENE® 5000
<b>GAS PROOFING</b>	BITUTHENE® 8000





# Complementary products

## AVAILABLE IN A NUMBER OF GRADES TO SUIT PROJECT NEEDS

**GCP's comprehensive systems-based waterproofing approach and wide selection of fully compatible products enables the efficient protection of foundations.**

### **PREPRUFE® pre-applied waterproofing membranes**

GCP is the category creator, developing the first pre-applied, fully bonded membrane in the world. The PREPRUFE® Plus basement waterproofing membranes are specially designed to perform in critical applications and incorporate Advanced Bond Technology™, as well as the ZipLap™ double sided overlaps, to ensure fully adhered and long lasting performance.

### **Detailing ancillaries**

It is essential to achieve an effective seal between the membrane and the penetration or joint. PREPRUFE® DLM is a liquid detailing system which provides good adhesion, high tensile strength and is easy to apply. It is also low VOC, has no Isocyanates and is fully compatible with both the PREPRUFE® and BITUTHENE® systems. BITUTHENE® LM is a trowel-applied liquid membrane specially developed by GCP to seal such penetrations. It has an excellent adhesion to most substrates and is elastomeric when cured. BITUTHENE® LM is compatible with other GCP waterproofing products, which reduces the risk of water penetration into structures.

### **Liquid waterproofing systems**

GCP offers effective liquid waterproofing systems. SILCOR® liquid-applied waterproofing optimises product application and durability and can be either spray or hand applied. It is a two-component liquid system that cures rapidly to form a seamless,

monolithic membrane that fully bonds to the substrate. SILCOR® is exceptionally durable with excellent wear and chemical resistance, offering long lasting waterproofing protection.

GCP's INTEGRITANK® spray-applied system is a highly durable waterproofing membrane that offers long-lasting protection. Its fully bonded nature means that water does not track behind the membrane, creating a straightforward solution to leak prevention.

### **ADPRUFE® integral waterproofing for concrete**

ADPRUFE® liquid waterproofing admixture significantly lowers the permeability of concrete to protect it from water absorption and reduce drying shrinkage. It produces easy to work with concrete, and minimises the need for post-injection of leaking cracks on the job site. It addresses the challenges of waterproofing intricate building structures while providing flexibility in scheduling and ensuring control over accelerated construction timelines.

### **Primers**

GCP offer a range of solvent and water based primers with damp-tolerant and low VOC capability. These are specially formulated to perform with the BITUTHENE® range, offering exceptional coverage rate, low cost per square metre and fast application.

Learn more about GCP's  
**waterproofing** systems.

Visit us at **gcpat.com**



We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

BITUTHENE AND GCP APPLIED TECHNOLOGIES are trademarks which may be registered in the United States and/or other countries, of GCP Applied Technologies Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status. These products may be covered by patents or patents pending.

© Copyright 2024 GCP Applied Technologies Inc. All rights reserved.