

Safety Data Sheet according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

1 Identification

Product identifier:

Trade name: *Chemspray 117 Clear Primer*
Relevant identified uses of the substance or mixture, and uses advised against:
Relevant identified uses of the substance or mixture: Waterproofing

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:
Manufacturer/supplier:

GCP Australia Pty. Ltd.
14 Colebard Street West
Archerfield, Queensland 4108
Australia

Further information obtainable from:

Tel: 1800 334 444
Fax: +61 7-3275-7801
APMSDS@gcpat.com

Emergency telephone number: After hours - Tel. No. 1800 039 008

2 Hazard(s) Identification

Classification of the substance or mixture:

Flam. Liq. 3	H226 Flammable liquid and vapour.
Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Serious eye damage/irritation – Category 2A	H319 Causes serious eye irritation.
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Carc. 2	H351 Suspected of causing cancer.
Repr. 1B	H360 May damage fertility or the unborn child.
STOT SE 3	H335 May cause respiratory irritation.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.

Label elements:
GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms


GHS02 GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

Modified MDI
Xylene (mixture of isomers)
2-ethoxyethyl acetate

Hazard statements

Flammable liquid and vapour.
Harmful if inhaled.

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 1)

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description: Flammable**Information concerning particular hazards for human and environment:****Description of Classification:** Classified as hazardous according to the criteria of Safe Work Australia.**Other hazards:****Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition and Information on Ingredients****Chemical characterization: Mixture:****Description:** Mixture of substances listed below with non-hazardous additions.**Dangerous components:**

39420-98-9	Modified MDI	30-<50%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	

(Contd. on page 3)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

1330-20-7	Xylene (mixture of isomers)	(Contd. of page 2) 25-<30%
	Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
111-15-9	2-ethoxyethyl acetate	10-<20%
	Flam. Liq. 3, H226 Repr. 1B, H360 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
616-38-6	dimethyl carbonate	10-<20%
	Flam. Liq. 2, H225	

Additional information:

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication 'List of Designated Hazardous Substances' or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication 'Approved Criteria for Classifying Hazardous Substances'.

4 First Aid Measures

Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Call for a doctor immediately.

Information for doctor:**Most important symptoms and effects, both acute and delayed:**

Dizziness

May cause sensitisation by skin contact.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed:

If skin irritation occurs: Get medical advice/attention.

5 Fire Fighting Measures

Extinguishing media:

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water jet.

Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

CO, CO₂.

Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

Safety Data Sheet according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 3)

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

HANDLING

Precautions for safe handling:

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapour. Do not cut, drill, grind or weld on or near container, whether empty or full.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground/bond container and receiving equipment.

Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s): No further relevant information available.

AU
(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 4)

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see section 7.

Control parameters:
Ingredients with limit values that require monitoring at the workplace:
39420-98-9 Modified MDI

WEL (Great Britain)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO
PEL (USA)	Peak limitation: 0.2 mg/m ³ , 0.02 ppm
REL (USA)	Long-term value: 0.05 mg/m ³ , 0.005 ppm Peak limitation: 0.2* mg/m ³ , 0.02* ppm *10-min
TLV (USA)	Long-term value: 0.005 ppm

1330-20-7 Xylene (mixture of isomers)

WEL (Great Britain)	Short-term value: 441 mg/m ³ , 100 ppm Long-term value: 220 mg/m ³ , 50 ppm Sk; BMGV
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm
REL (USA)	Short-term value: 655 mg/m ³ , 150 ppm Long-term value: 435 mg/m ³ , 100 ppm
TLV (USA)	Long-term value: 20 ppm BEI, A4

111-15-9 2-ethoxyethyl acetate

WEL (Great Britain)	Long-term value: 11 mg/m ³ , 2 ppm Sk
PEL (USA)	Long-term value: 540 mg/m ³ , 100 ppm Skin
REL (USA)	Long-term value: 2.7 mg/m ³ , 0.5 ppm Skin
TLV (USA)	Long-term value: 5 ppm Skin; BEI

Ingredients with biological limit values:
39420-98-9 Modified MDI

BMGV (Great Britain)	1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period of exposure Parameter: isocyanate-derived diamine
----------------------	--

1330-20-7 Xylene (mixture of isomers)

BMGV (Great Britain)	650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid
BEI (USA)	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids

111-15-9 2-ethoxyethyl acetate

BEI (USA)	100 mg/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: 2-Ethoxyacetic acid
-----------	---

Additional information: Based on the lists valid at the date of SDS creation.

Exposure controls:
Appropriate engineering controls Local exhaust ventilation is recommended.

(Contd. on page 6)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 5)

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Atmospheric levels should be maintained below the occupational exposure limits. When atmospheric levels exceed those limits or are unknown, respiratory protection is required.

For hand applications, unless monitoring data confirms that respiratory protection is not necessary, use an approved half-face air purifying respirator equipped with an organic vapor sorbent filter (EU Type A, NIOSH Black, etc.) and particulate pre-filter (EU Type P2, NIOSH N95, etc.).

Isocyanates (contained in this part and when mixed) are known as respiratory sensitisers.

For emergency response, an approved positive pressure Self Contained Breathing Apparatus (SCBA) or positive pressure air line with auxiliary self-contained air supply is recommended.

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Protective goggles.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

9 Physical and Chemical Properties

Information on basic physical and chemical properties:

GENERAL INFORMATION

Appearance:

Form:	Liquid.
Colour:	Clear Brown
Odour:	Characteristic.
Odour threshold:	Not determined.

pH-value (~): Not determined.

Change in conditions:-

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Not determined.
Flash point:	25 °C

Flammability (solid, gas): Flammable.

Auto-ignition temperature: Not determined.

Decomposition temperature: Not determined.

Ignition temperature: Not determined.

Explosive properties: In use, may form flammable/explosive vapour-air mixture.

EXPLOSION LIMITS

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure: Not determined.

Density at 20 °C: 1 g/cm³

Vapour density: Not determined.

Evaporation rate: Not determined.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 6)

**Solubility in/Miscibility with:-
Water:**

Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.

VISCOSITY
Dynamic:

Not determined.

Kinematic:

Not determined.

Molecular weight

Not determined.

Other information:

No further relevant information available.

10 Stability and Reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Chemical stability:
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

Information on toxicological effects:
ACUTE TOXICITY
LD/LC50 values relevant for classification:
1330-20-7 Xylene (mixture of isomers)

Oral	LD50	3,523 mg/kg (rat)
Inhalative	LC50, 4h	26 mg/m ³ (rat)

111-15-9 2-ethoxyethyl acetate

Dermal	LD50	≤3,900 mg/kg (rat)
	LD50	10,300 mg/kg (rabbit)

616-38-6 dimethyl carbonate

Dermal	LD50	13,000 mg/kg (rat)
--------	------	--------------------

Primary irritant effect
Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Inhalation:

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Ingestion: May cause damage to organs through prolonged or repeated exposure.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitisation possible through skin contact.

Additional toxicological information:

Suspected of causing cancer.

(Contd. on page 8)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 7)

May damage fertility or the unborn child.

Other information :

The product was classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12 Ecological Information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.**BEHAVIOUR IN ENVIRONMENTAL SYSTEMS****Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.**ADDITIONAL ECOLOGICAL INFORMATION****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.

13 Disposal considerations

Waste treatment methods:**Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Refer to State Land Waste Authority for disposal considerations.

UNCLEANED PACKAGING**Recommendation:** Disposal must be made according to official regulations.

14 Transport information

UN-Number

ADR, IMDG, IATA

UN1263

UN proper shipping name

ADR, IMDG, IATA

PAINT

Transport hazard class(es)

ADR, IMDG, IATA

Class
Label3 Flammable liquids.
3**Packing group**

ADR, IMDG, IATA

II

Environmental hazards:

Not applicable.

(Contd. on page 9)

AU

Safety Data Sheet

according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 8)

Special precautions for user:

Warning: Flammable liquids.

Hazard identification number (Kemler code):

30

EMS Number:

F-E,S-D

Stowage Category

B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not Regulated

Transport/Additional information:**ADR****Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

D/E

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations:** All ingredients are listed on AICS.**Registered in the international inventory lists:** AICS (Australia)**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS:

EHS Department,

Asia Pacific Region

SCIP, Canlubang, Calamba City, Laguna

Philippines 4028

(Contd. on page 10)

AU

Safety Data Sheet
according to WHS Regulations

Printing Date: 03.11.2023

Version Number: 1.1

Revision Date: 03.11.2023

Trade name: *Chemspray 117 Clear Primer*

(Contd. of page 9)

Tel: +63 (02) 8236-6820 to 24

Contact:**The first date of preparation:** 22.11.2019**Number of revision times and the latest revision date:** 1.1 / 03.11.2023

AU