

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

1 Identification of the substance or mixture and of the supplier

Other means of identification

Trade name: **SILCOR 560 HB**

Relevant identified uses of the substance or mixture, and uses advised against:

No further relevant information available.

Relevant identified uses of the substance or mixture: Waterproofing

Identified uses advised against: No further relevant information available.

Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Australia Pty. Ltd.
14 Colebard Street West
Archerfield, Queensland 4108
Australia

Tel: 1800 334 444
Fax: +61 7-3275-7801

Further information obtainable from: APMSDS@gcpat.com

Emergency telephone number:

CHEMWATCH - 00 800 2436 2255 (free call)
National Poison Centre - 0800 764-766 (0800 POISON)

2 Hazards identification

Classification of the substance or mixture:

Flammable liquids Category 4 H227 Combustible liquid.
Skin irritation Category 2 H315 Causes skin irritation.
Eye irritation Category 2 H319 Causes serious eye irritation.

Label elements:

GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.

(Contd. on page 2)

NZ

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 1)

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Information concerning particular hazards for human and environment:
Description of Classification:

Classified as Hazardous Substance according to the criteria of the New Zealand Hazardous Substance New Organisms legislation.

HSNO Group Standard : Construction Products (Subsidiary Hazard) Group Standard 2017

HSNO Approval Number : HSR002544

Other hazards:
Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/Information on ingredients

Chemical characterization: Mixture:

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

57451-08-8	Polyisocyanate prepolymer Skin irritation Category 2, H315; Eye irritation Category 2, H319	25-<30%
28553-12-0	Diisononyl phthalate	10-<20%
69430-35-9	Hydrocarbons, C6-20, polymers, hydrogenated Eye irritation Category 2, H319	5-<10%
106-65-0	Dimethyl succinate Eye irritation Category 2, H319 Flammable liquids Category 4, H227	1-<3%

4 First aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

After skin contact: Wash with plenty of soap and water.

(Contd. on page 3)

NZ

Safety Data Sheet
in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 2)

After eye contact: Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:**Most important symptoms and effects, both acute and delayed:** Irritating to eyes.**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire fighting measures**Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:** Water jet.**Special hazards arising from the substance or mixture:** No further relevant information available.**Protective equipment:** Wear self-contained respiratory protective device.**Additional information:**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

NZ
(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 3)

7 Handling and storage

HANDLING

Precautions for safe handling:

- Do not eat, drink or smoke when using this product.
- Store in a well-ventilated place. Keep container tightly closed.
- Keep only in original packaging.
- Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

STORAGE

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

- Keep container tightly sealed.
- Protect from frost.
- Store in a dry place.
- Keep cool.

Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

Appropriate engineering controls No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

28553-12-0 Diisononyl phthalate

WES (New Zealand)	Long-term value: 5 mg/m ³
WEL (Great Britain)	Long-term value: 5 mg/m ³

Additional information: Based on the lists valid at the date of SDS creation.

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves: Rubber gloves.

(Contd. on page 5)

NZ

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 4)

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

GENERAL INFORMATION

Appearance:

Form:	Liquid.
Colour:	Black.
Odour:	Slight Musty
Odour threshold:	Not determined.
pH-value (~):	Not determined.
Change in conditions:-	
Melting point/Melting range:	Undetermined.
Initial boiling point and boiling range:	>138 °C
Flash point:	>72 °C
Flammability	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Explosive properties:	Not determined.
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.48 g/cm ³
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in/Miscibility with:-	
Water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
VISCOSITY at 25 °C	60,000 ± 10,000 cps
Dynamic:	Not determined.
Kinematic:	Not determined.

Other information:

Residual TDI - < 0.1%

Particle characteristics Not applicable.

(Contd. on page 6)

-NZ

Safety Data Sheet

in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 5)

Physical state

Liquid

10 Stability and reactivity

Reactivity:

Stable under normal conditions.

No further relevant information available.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

May vent and release flammable gas at high temperature.

May explode when exposed to high temperature or heated.

Conditions to avoid:

Avoid contact with incompatible materials and condition.

Avoid accumulation of electrostatic charges, Heating, Flames and hot surfaces.

Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials: Flammable materials, Reducing agents.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

May emit flammable vapour, fume, hazardous gas if involved in fire.

11 Toxicological information

Information on toxicological effects:

ACUTE TOXICITY Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

28553-12-0 Diisononyl phthalate

Dermal	LD50	3,160 mg/kg (rabbit)
--------	------	----------------------

Primary irritant effect

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: SILCOR 560 HB

(Contd. of page 6)

Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity:

AQUATIC TOXICITY No further relevant information available.

Persistence and degradability: No further relevant information available.

BEHAVIOUR IN ENVIRONMENTAL SYSTEMS

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

13 Disposal considerations

Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

NZS, IMDG, IATA

Not Regulated

UN proper shipping name

NZS, IMDG, IATA

Not Regulated

Transport hazard class(es)

NZS, ADN, IMDG, IATA

Class

Not Regulated

Packing group

NZS, IMDG, IATA

Not Regulated

(Contd. on page 8)

NZ

Safety Data Sheet in accordance with HSNO

Date of issue: 28.11.2025

Version Number: 1.0

Revision Date: 28.11.2025

Trade name: *SILCOR 560 HB*

(Contd. of page 7)

Environmental hazards: Not applicable.

**Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code:** Not Regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

HSNO Approval Number

HSNO Approval numbers

None of the ingredients is listed.

Registered in the international inventory lists: NZIoC (New Zealand)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

EHS Department,
Asia Pacific Region
GCP Applied Technologies Operations Center, Inc.,
CTP Asean Tower, Upper Penthouse, Unit 1,
2397 Asean Drive, Spectrum District, Filinvest Alabang, 1781,
Muntinlupa City, Philippines
Tel: + 63 2 8271 2300

The first date of preparation: 01.11.2024

Number of revision times and the latest revision date: 1.0 / 28.11.2025