

**Safety Data Sheet  
in accordance with HSNO**

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**1 Identification of the substance or mixture and of the supplier****Product identifier:**Trade name: ***Bituthene Primer B2***

Relevant identified uses of the substance or mixture, and uses advised against: No further relevant information available.

Relevant identified uses of the substance or mixture: Waterproofing

Identified uses advised against: No further relevant information available.

**Details of the supplier of the safety data sheet:****Manufacturer/supplier:**GCP Applied Technologies (UK) Limited  
487-488 Ipswich Road,  
Slough, Berkshire  
SL1 4EP

Tel: +44 (0)1753 490 000

Fax: +44 (0)1753 490 001

\*\*\*\*\*

De Neef Construction Chemicals BVBA  
Industriepark 8,  
2220 Heist-op-den-Berg,  
Belgium.

Tel: +32 15 24 93 60

Fax: +32 15 24 80 72

**Supplier:**GCP Australia Pty. Ltd.  
14 Colebard Street West  
Archerfield, Queensland 4108  
Australia

Tel: 1800 334 444

Fax: +61 7-3275-7801

**Further information obtainable from:** APMSDS@gcpat.com**Emergency telephone number:**

CHEMWATCH - 00 800 2436 2255 (free call)

National Poison Centre - 0800 764-766 (0800 POISON)

**2 Hazards identification****Classification of the substance or mixture:**

Flammable liquids Category 3      H226 Flammable liquid and vapour.

Acute inhalation toxicity Category 4      H332 Harmful if inhaled.

Skin irritation Category 2      H315 Causes skin irritation.

**Label elements:****GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

NZ

# Safety Data Sheet

## in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name: *Bituthene Primer B2***

(Contd. of page 1)

**Hazard pictograms**


GHS02 GHS07

**Signal word** Warning

**Hazard-determining components of labelling:**

Xylene (mixture of isomers)

**Hazard statements**

Flammable liquid and vapour.

Harmful if inhaled.

Causes skin irritation.

**Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Information concerning particular hazards for human and environment:**
**Description of Classification:**

Classified as Hazardous Substance according to the criteria of the New Zealand Hazardous Substance New Organisms legislation.

**HSNO Group Standard :** Construction Products (Subsidiary Hazard) Group Standard 2017

**HSNO Approval Number :** HSR002544

**Other hazards:**
**Results of PBT and vPvB assessment:**
**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/Information on ingredients

**Chemical characterization: Mixture:**
**Description:** Mixture of substances listed below with non-hazardous additions.

**Dangerous components:**

1330-20-7	Xylene (mixture of isomers) Flammable liquids Category 3, H226 Acute dermal toxicity Category 4, H312; Acute inhalation toxicity Category 4, H332; Skin irritation Category 2, H315	50-<100%
-----------	---	----------

 NZ  
 (Contd. on page 3)

**Safety Data Sheet**  
in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name:** *Bituthene Primer B2*

(Contd. of page 2)

**4 First aid measures****General information:** Get medical advice/attention if you feel unwell.**After inhalation:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

**After skin contact:** Wash with plenty of soap and water.**After eye contact:** Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

**Information for doctor:****Most important symptoms and effects, both acute and delayed:** Dizziness**Indication of any immediate medical attention and special treatment needed:**

If skin irritation occurs: Get medical advice/attention.

**5 Fire fighting measures****Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:** Water jet.**Special hazards arising from the substance or mixture:** CO, CO<sub>2</sub>.**Protective equipment:** Wear self-contained respiratory protective device.**Additional information:** Collect contaminated fire fighting water separately. It must not enter the sewage system.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.**Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Send for recovery or disposal in suitable receptacles.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

NZ  
(Contd. on page 4)

# Safety Data Sheet

## in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name: *Bituthene Primer B2***

(Contd. of page 3)

## 7 Handling and storage

### HANDLING

**Precautions for safe handling:**

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original packaging.

Use only outdoors or in a well-ventilated area.

**Information about fire - and explosion protection:**


Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapour. Do not cut, drill, grind or weld on or near container, whether empty or full.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground and bond container and receiving equipment.

### STORAGE

**Further information about storage conditions:**

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

**Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see section 7.

**Ingredients with limit values that require monitoring at the workplace:**
**1330-20-7 Xylene (mixture of isomers)**

WES (New Zealand)	Long-term value: 217 mg/m <sup>3</sup> , 50 ppm oto, bio
WES (Australia)	Short-term value: 655 mg/m <sup>3</sup> , 150 ppm Long-term value: 350 mg/m <sup>3</sup> , 80 ppm
WEL (Great Britain)	Short-term value: 441 mg/m <sup>3</sup> , 100 ppm Long-term value: 220 mg/m <sup>3</sup> , 50 ppm Sk; BMGV

**Ingredients with biological limit values:**
**1330-20-7 Xylene (mixture of isomers)**

BMGV (Great Britain)	650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid
----------------------	--

(Contd. on page 5)

NZ

## Safety Data Sheet in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name:** *Bituthene Primer B2*

(Contd. of page 4)

**Additional information:** Based on the lists valid at the date of SDS creation.

### PERSONAL PROTECTIVE EQUIPMENT

**General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals.

#### Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Protective gloves.

**Material of gloves:** Rubber gloves.

#### Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Safety glasses with side shield protection.

#### Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

## 9 Physical and chemical properties

### GENERAL INFORMATION

**Appearance:**

**Form:** Liquid.

**Colour:** Black.

**Odour:** Aromatic

**Odour threshold:** Not determined.

**pH-value (~):** Not determined.

#### Change in conditions:-

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** >137 °C

**Flash point:** >24 °C

**Flammability (solid, gas):** Flammable.

**Auto-ignition temperature:** >488 °C

**Decomposition temperature:** Not determined.

**Ignition temperature:** Not determined.

**Explosive properties:** In use, may form flammable/explosive vapour-air mixture.

**Lower:** 0.9 Vol %

Not determined.

**Upper:** 8 Vol %

**Vapour pressure:** Not determined.

**Density at 20 °C:** 0.9 g/cm<sup>3</sup>

**Vapour density:** Not determined.

**Evaporation rate:** Not determined.

#### Solubility in/Miscibility with:-

**Water:** Not miscible or difficult to mix.

(Contd. on page 6)

NZ

## Safety Data Sheet in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name: *Bituthene Primer B2***

(Contd. of page 5)

**Partition coefficient: n-octanol/water:** Not determined.

**VISCOSITY**
**Dynamic at 20 °C:** >50 mPas

**Kinematic:** Not determined.

**SOLVENT CONTENT**
**VOC (EC):** 54.90 %

**Molecular weight** Not determined.

**Other information:** No further relevant information available.

### 10 Stability and reactivity

**Reactivity:**

Stable under normal conditions.

No further relevant information available.

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions**

No dangerous reactions known.

No further relevant information available.

**Conditions to avoid:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

**Information on toxicological effects:**
**ACUTE TOXICITY** Harmful if inhaled.

**LD/LC50 values relevant for classification:**
**1330-20-7 Xylene (mixture of isomers)**

Oral	LD50	3,523 mg/kg (rat)
Inhalative	LC50, 4h	26 mg/m <sup>3</sup> (rat)

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Inhalation:** Harmful if inhaled.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

NZ

(Contd. on page 7)

## Safety Data Sheet in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name:** *Bituthene Primer B2*

(Contd. of page 6)

### 12 Ecological information

**Toxicity:**

**AQUATIC TOXICITY** No further relevant information available.

**Persistence and degradability:** No further relevant information available.

**BEHAVIOUR IN ENVIRONMENTAL SYSTEMS**

**Bioaccumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

**ADDITIONAL ECOLOGICAL INFORMATION**

**General notes:** Not known to be hazardous to water.

**Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 13 Disposal considerations

**Waste treatment methods:**

**Recommendation:**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**UNCLEANED PACKAGING**

**Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

**UN-Number**

NZS, IMDG, IATA

UN1263

**UN proper shipping name**

NZS, IMDG, IATA

PAINT RELATED MATERIAL

**Transport hazard class(es)**

NZS, IMDG, IATA



**Class**

3 Flammable liquids.

**Label**

3

**Packing group**

NZS, IMDG, IATA

III

**Environmental hazards:**

Not applicable.

**Special precautions for user:**

Warning: Flammable liquids.

**Hazard identification number (Kemler code):**

30

(Contd. on page 8)

NZ

## Safety Data Sheet in accordance with HSNO

Printing Date: 10.09.2024

Version Number: 5.0

Revision Date: 10.09.2024

**Trade name: *Bituthene Primer B2***

(Contd. of page 7)

<b>EMS Number:</b>	F-E, <u>S</u> -E
<b>Stowage Category</b>	A

<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not Regulated
---	---------------

**Transport/Additional information:**
**NZS**
**Limited quantities (LQ)**  
**Excepted quantities (EQ)**

 5L  
 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

**Transport category**  
**Tunnel restriction code**

 3  
 D/E

**IMDG**
**Limited quantities (LQ)**  
**Excepted quantities (EQ)**

 5L  
 Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

### 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

See Section 2 for hazard identification.

**HSNO Approval Number**
**HSNO Approval numbers**

1330-20-7 | Xylene (mixture of isomers)

HSR000983

**Registered in the international inventory lists:** NZIoC (New Zealand)

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

 EHS Department,  
 Asia Pacific Region  
 SCIP, Canlubang, Calamba City, Laguna  
 Philippines 4028  
 Tel: +63 (02) 8236-6820 to 24

**The first date of preparation:** 24.07.2024

**Number of revision times and the latest revision date:** 5.0 / 10.09.2024

NZ